

MINUTES

Coastal Plains Groundwater Conservation District

Public Hearing OF THE BOARD OF DIRECTORS *June 25th, 2026* 8:00 a.m.

MEMBERS OF THE BOARD PRESENT: Mark Kubecka, Herff Cornelius, Ryan Kubecka, Deedy Huffman and Billy Mann

STAFF PRESENT: Neil Hudgins, General Manager, Sandra Horris
Guest:

PRESIDING: Mark Kubecka

1. Mark Kubecka called the Hearing to order at 8:00 a.m., at the Matagorda County Office Bldg, 4th Floor conference room

1.2 Mr. Hudgins presented the Board with information in regards to the Permit Application.

Name	Use	Permit Number	Latitude	3 yr total
			Longitude	Ac/ft
Palacios Marine Agriculture Research Hatchery	Irrigation	OP-26041501	28.69993 -96.22136	3.06
Chemical Inc.	Industrial/Comm	OP-24112701	28.908 -95.94503	30
Dustin Gee	Irrigation	OP-26042701	28.91603 -95.77917	150
Maxim Turf Grass Farm	Irrigation	OP-06060201	29.18836 -95.94281	No increase in Permit

2026 Permit Renewals with Increase Permit Amounts

				From Amount	To Amount
Chemical Inc.	Com/Ind	OP-24112701	28.908 -95.94503	1.34 (include both wells)	34.02
President Baldpate, Inc (Roger Soape)	Irrigation	OP-11080101	28.95194 -96.24167	480	750
Robert Butler	Irrigation	OP-12061101	29.07833 -95.93389	96	255
Peyton Creek Windfarm	Commercial	OP-12030806	28.86994 -95.87972	.5	1.5
Brazos Tower Joint	Irrigation	OP-24082601	28.69794 -96.14194	4	300
Coleman Franz	Irrigation	OP-24091101	29.04120 -95.95692	935	2997
Kubecka Aquaculture	Irrigation	OP-23121801	28.75434 -96.26193	1080	1360
Danny & Jimmy Stephens	Irrigation	OP-12030810	28.96889 -96.20167	225	900
Texas Premium Grass	Irrigation	OP-05071403	28.84139 -96.28333	297	810
Champion Turf	Irrigation	OP-05022802	28.94139 -95.92056	50	100
Rio Colorado Golf Course	Irrigation	OP-05011108	28.92083 -95.99750	1.05	600
River Bend Water	Municipal	OP-05011111	28.67083 -95.96445	18	18.3
Texas Water Utilities	Municipal	OP-070126	28.3083 -95.67000	23.010	45

1.3 Comments

Sandra Horris informed the board that a correction will need to be made to Chemicals Inc., the Permit amount should be 94.02 ac/ft instead of 34.02 ac/ft. She also stated that Mr. Butler had called and he no longer wanted to increase his permit.

1.4 Closed Public Hearing at 8:01 am